Effect of Ginger Extract as a Natural Tenderizer in Spent Hen Meat

Mir Rovida*, Sarfaraz A. Wani, Sheikh Rafeh Ahmad, Asif H. Sofi, Azmat A. Khan,

Ishraq Hussain and Mudasir A. Rather

Division of Livestock Products Technology, FVSc & AH, SKUAST-Kashmir, Shuhama – 190 006

ABSTRACT

Aqueous extract of ginger (*Zingiber officinale*) was investigated for its effect as a natural tenderizing agent in thigh meat obtained from spent hens of commercial layer stock. The thigh portion obtained after slaughter and dressing of spent hens were treated with five treatment solutions viz. 0.2% papain as positive control (T_1), naive control without any treatment (T_2); 2% Ginger Extract (T_3); 4% Ginger Extract (T_4); and 6% Ginger Extract (T_5). The samples were kept for 24 hours at 4°C and then divided into two groups. One group of samples was analyzed for various physico-chemical, tenderizing and sensory parameters to ascertain the effect of the Ginger Extract. The results revealed that with increasing Ginger Extract level, there was an increase in pH, moisture content and water holding capacity while as decrease in hydroxyproline content and collagen content, thereby decreasing the toughness and thus desirably improving the tenderness of spent hen meat. Ginger Extract also improved sensory parameters like appearance, flavor, tenderness, juiciness and overall acceptability scores. The other group of samples was cooked for 35 minutes in 1.5 % salt solution. Ginger Extract increased the product yield, pH and moisture content and decreased the shear force value in cooked samples. Ginger Extract also imparted better appearance, color and tenderness scores in cooked samples. Although all levels of Ginger Extract improved the quality of meat, however, the best results were found for 6% Ginger Extract. It was concluded that ginger is a potential natural tenderizer and can thus be explored for its role in the meat processing industry to improve the overall quality of otherwise less valued tougher spent hen meat.

Keywords:Collagen, Hydroxyproline, Ginger, Papain, Spent hen, TendernessSubmitted:04/05/2021Accepted:14/06/2021

INTRODUCTION

In recent years, consumption of poultry and its products has increased rapidly throughout the globe. Worldwide, the rapid development of poultry layer industry resulting in manifold increase in the production of culled and spent hens, which need to be disposed of to avoid potential environmental pollution (Roberts *et* ., 2019). These otherwise culled birds can be harvested for a high protein meat source if processing conditions are favoured to render this tougher meat in to a better quality tender meat. Research has also shown that a functional chicken sausage with better yield can be prepared from spent hen added with plant ingredients like Irish moss (Biswas *et al.*, 2020).

Meat from spent layers is not commonly consumed because it is dry, tough and less valued due to its high amount of connective tissue containing higher number of collagen cross linkages (Awosanya and Faseyi, 2001). The more amounts of intramuscular connective tissue, increased muscle fibre length and altered activity of endogenous proteolytic enzymes increases the toughness of meat (Chen *et al.*, 2006; Kemp and Parr, 2012). This toughness of meat can be overcome by various tenderization methods using physical, chemical or enzymatic methods. Now-a-days, methods using natural ingredients are preferred by the health conscious consumer to avoid the ill effects associated with chemicals.

Ginger (*Zingiber officinale*) is a typical flavoring agent widely used in the meat industry for its various benefits. Its proteolytic activity on collagen has been found to be many folds greater than acyomyosin and the combined effect on connective tissue proteins and myofibrillar proteins such as myosin, troponin T, and α -actinin has been found to be highly effective in increasing the tenderness

* Corresponding author Email address: mirovida92@gmail.com DOI: 10.5958/2581-6616.2020.00022.5 of meat. In addition, ginger has been shown to inhibit lipid oxidation, thus enhancing the keeping quality of meat (Tsai *et al.*, 2012). The present study was thus designed to evaluate the effect of Ginger Extract as a natural tenderizing agent in thigh portion of spent hens from commercial layer stock.

MATERIAL AND METHODS

Spent hens of commercial layer stock of more than 72 weeks of age were procured from local poultry breeder. Papain enzyme was procured from Himedia firm. For the preparation of Ginger Extract (GE), fresh ginger rhizome was peeled, sliced and blended with an equal quantity of chilled distilled water in a blender (Make: Ploytron PT 2100) for 1 to 2 min. The homogenate was squeezed through 4 layers of muslin cloth and preserved for future use (Naveena and Mendiratta, 2010).

The birds were slaughtered and dressed hygienically in the semiautomatic poultry processing plant at the Division of Livestock Products Technology, Faculty of Veterinary Sciences and Animal Husbandry, Sher-e-Kashmir University of Agricultural Sciences and Technology of Kashmir. Birds were scalded in hot water of 59 to 64°C for 45 to 90 seconds followed by defeathering, evisceration and washing. The thigh pieces were separated from the carcass, packed in LDPE bags and kept under refrigeration temperature till future use.

Solutions of five treatments viz; positive control of 0.2% papain (T1); naive control without any treatment (T2); 2% Ginger Extract (T3); 4% Ginger Extract (T4); and 6% Ginger Extract (T5) were prepared. About 100g of thigh meat samples were immersed in each treatment solution in a food grade plastic container and kept at 4 ± 1 °C for 24 hours. The samples were divided in to two groups. One group of samples was evaluated for various parameters

viz., pH, moisture content, water holding capacity, hydroxyproline content, collagen content and sensory evaluation. The other group of the samples was cooked for 35 minutes in 1.5% salt solution. The cooked samples were assessed for product yield, pH, moisture content, shear force value and sensory quality. Each experiment was repeated thrice.

Analytical Procedures

pH: The pH of samples was determined following the method of Trout *et al.* (1992) by using digital pH meter (Model CP 901, Century Instrument Ltd. India).

Moisture Content: The moisture content of the samples was determined following the method as specified by AOAC (1995).

WHC: The water holding capacity was determined following the method of Wardlaw *et al.* (1973). Approximately 10 g samples of meat were stirred for 1 min with 15 ml of 0.6 M NaCl solution in a 50 ml centrifuge tube. The tubes were held at 4° C for 15 min, stirred again for 1 min followed by centrifugation in a refrigerated centrifuge (Make: Eppendorf Model 5804 R) at 10,000 rpm. After centrifugation, the volume of the supernatant was measured and the results were reported as the proportion the fluid retained by the

sample according to the following equation:

WHC (%) = (Initial volume - volume of supernatant)/Initial volume) x 100

Hydroxyproline content: Hydroxyproline content was quantitated calorimetrically using chloramines T method as described by Lee *et al.* (2005) with slight modifications. 50 mg sample was weighed in Eppendrof tubes and hydrolyzed in 0.5 ml of 6 N HCl at 100°C for 24 hrs. The hydrolysate was then cooled, neutralized with 0.5 ml of 6 N NaOH followed by centrifugation at 8000 rpm for 10 min. 200 ul of the supernatant was added to 0.125 ml of chloramines T solution and incubated at room temperature for 10 min. To this, 0.75 ml of Ehrlich's solution was added. The final mixture was incubated at 60°C for 35 min followed by room temperature for 10 min. The absorbance was determined at 560 nm. Standard solutions containing 0, 20, 40, 60, 80 and 100 µg/ ml of authentic hydroxyproline was treated like wise. The value of hydroxyproline content was expressed as µg/g wet tissue.

Collagen content: The collagen content was estimated by following the method specified by Koolmees and Bijker (1985). The collagen content was calculated by the following formula:

- x 100

Collagen= Hydroxyproline x 8/ nitrogen x 6.25) x 100%.

Cooking yield: It was estimated by using the following formula;

Cooking yield (%) = _____

Weight of uncooked samples

Weight of cooked samples

Shear Force value: Textural quality of the sample in terms of shear force value was estimated by using TA-XT2i Texture analyzer (MAKE STABLE MICROSYSTEMS, United Kingdom). The compression probe (HDP/ BSK- Blade set with knife) was applied to measure compression force required for sample breakage which indicates hardness.

Sensory evaluation: The raw and cooked samples were presented to semi-trained experienced taste panel members consisting of scientists and post-graduate students (both males and females in the age group of 25 to 60) of Faculty of Veterinary Sciences and Animal Husbandry, Shuhama, SKUAST-K for evaluation. For cooked samples attributes viz. appearance, flavour, tenderness, juiciness, mouth coating and overall acceptability; for uncooked samples attributes viz. appearance, tenderness and colour as described by Wierbicki (1985) were analyzed. The above quality attributes were scored using the following rating scale: 9=Excellent, 8=Very good, 7= Good, 6= Below Good-above fair, 5= Fair, 4= Below fair-above poor, 3=Poor, 2=Very poor and 1=Extremely poor.

Statistical Analysis: The data generated was analyzed statistically following the method of Snedecor and Cochran (1994) using SPSS version 20 software package. Analysis of variance by one way was computed and significance of means was tested at 5% level of significance.

RESULTS AND DISCUSSION

The results of different quality parameters pertaining to raw and cooked spent thigh muscles are depicted in Table 1. In raw/uncooked samples, the pH increased significantly (P≤0.05) with Ginger Extract treatment. In cooked samples, mean pH values of naive control was significantly (P<0.05) lower than positive control and ginger extract treatment groups. The higher pH values for GE treated samples compared to control might be due to higher pH (6.5) of ginger (Naveena et al., 2004). The moisture content of raw spent hen thigh ranged from 71.13% to 75.50% with values being significantly (P≤0.05) lower for naive control and 2% GE treated samples compared to positive control, 4% and 6% GE samples. Increase in the moisture with increasing concentration of GE indicated improvement in hydrophilic properties by the GE and papain treatment. In cooked samples, moisture content of naive control was significantly (P≤0.05) lower than 6% GE and non-significantly (P>0.05) lower than positive control, 2% GE and 4% GE treated samples. Naveena et al. (2004) has reported that the moisture content of GE marinated buffalo meat does not differ significantly than the control samples. Similarly, Abdeldaiem and Hoda (2013) observed no difference between the moisture content of raw GE marinated and control camel meat. According to Yusop et al. (2010), there was no difference in moisture content of chicken breast marinated in citric acid; however, Ke et al. (2009) reported that citric acid injected beef muscle has higher moisture content than the control. The WHC of naive control was significantly (P<0.05) lower than that of positive control, 4% and 6%

GE treated samples but non-significantly (P>0.05) lower than 2% GE treated sample. The improved WHC in GE treated samples might be due to better moisture retention ability shown by the treated samples when compared with control. The WHC of thigh and breast muscle increased significantly after their ageing for 6 days (Kiran et al., 2020). The hydroxylproline content of positive control was significantly (P<0.05) lower than of naive control, 2% and 4% GE and non-significantly (P>0.05) higher than 6% GE. Naveena and Menditratta (2010) reported the hydroxyproline of GE marinated spent hen meat is not significantly different from the control samples. The collagen content of positive control was significantly (P<0.05) lower than of naive control, 2% GE and 4% GE and was non-significantly (P>0.05) higher than 6% GE. The decreased hydroxyproline and collagen content in GE and papain treated samples might be due to the proteolytic activity of proteases released by the treatment solutions on the collagen protein. These arguments are supported by Thompson et al. (1973) who reported that the proteolytic activity of ginger protease on collagen was many times greater than that on actomyosin and the combined proteolysis of these two muscle proteins resulted in significantly more tender meat. Product yield values of 6% GE was significantly (P≤0.05) higher than naive control and 2% GE samples and non-significantly (P>0.05) higher than positive control and 4% GE samples. Overall improvement in the yield in all GE treated samples indicated that treatment with GE had some beneficial effect on yield, probably because of better WHC and subsequent moisture retention. This is in agreement with Labell (1987) who reported a reduction in shrinkage of microwave cooked meat and poultry by 5 to 20% after treatment with ginger powder. The shear force value decreased significantly (P≤0.05) with increasing ginger extract concentration, favorably attributing the role of GE as a tenderizer. Lee et al. (1986) found a linear decrease in shear force values with increasing amount of GE in beefsteaks. Similar observations were made by Naveena and Mendiratta (2010) in spent hen meat treated with different concentrations of ginger extract. Thompson et al. (1973) also reported a decrease in shear force values from 4.27 Kg to 2.8 Kg per cm² by ginger treatment in ovine B. femoris muscle. All these observations especially the decrease in connective tissue, shear force value and improved water holding capacity are a confirmation that ginger is a very goodsource of tenderizing agents and can be safely used to improve the quality of less valued and tougher spent hen meat.

Tuble 1. Quality parameters of spent thigh musele treated with various levels of ginger extract (mean 2 0.	Table 1: Quality parameter	s of spent thigh r	nuscle treated with variou	is levels of ginger extract	(Mean ± S.F
--	----------------------------	--------------------	----------------------------	-----------------------------	-------------

Parameters]	Raw Spent thigh		
	T ₁ (Positive con- trol)	T ₂ (Naive control)	T ₃ (2% GE)	T ₄ (4% GE)	T ₅ (6% GE)
рН	5.98± 0.43ª	5.97± 0.54ª	6.08± 0.24 ^b	$6.07 \pm 0.26^{\rm b}$	$6.14 \pm 0.01^{\rm b}$
Moisture content	75.48± 0.55 ^b	71.13± 0.36 ^a	71.82± 0.20ª	74.48± 0.56 ^b	75.50± 0.56 ^b
WHC	40.64± 0.49 ^b	38.11± 1.26ª	40.42 ± 0.81^{ab}	41.82± 0.51 ^b	42.46± 0.60 ^b
Hydroxyproline content	0.10 ± 0.00^{a}	0.13± 0.01 ^b	0.13± 0.00 ^b	0.11± 0.00 ^b	0.09 ± 0.00^{a}
Collagen Content	3.67 ± 0.00^{a}	5.47± 0.36°	4.94± 0.23 ^b	4.67± 0.13 ^b	3.21± 0.29 ^a
		Cooked Spent	thigh		
Product Yield	73.66± 0.87°	69.89± 0.33ª	70.73 ± 0.37^{ab}	72.70± 1.03 ^{bc}	75.15± 0.97°
рН	6.51± 0.02 ^{bc}	6.30 ± 0.16^{a}	$6.42 \pm 0.00^{ m b}$	$6.50 \pm 0.05^{\rm bc}$	6.53± 0.04 ^c
Moisture content	62.21± 0.82 ^{ab}	61.12± 0.59ª	62.20 ± 1.26^{ab}	63.41 ± 0.94^{ab}	65.03± 1.48 ^b
SFV	18.90 ± 0.44^{a}	25.54± 1.77 ^b	21.41± 0.71ª	19.75± 0.46ª	18.72± 0.23ª

Row-wise group means with different superscript differ significantly (P<0.05) For product yield, N = 3 and for other parameters, N=6 The results of different sensory parameters pertaining to raw and cooked spent thigh muscles are depicted in Table 2. The results of sensory evaluation revealed that the ginger extract treatment has led to improvement in all the sensory attributes including the overall acceptability in raw as well as cooked GE treated samples when compared to non-treated samples. These findings are in agreement with those of Thompson (1973)⁻ Lee *et al.* (1986), Labell (1987) and Syed Ziauddin *et al.* (1995) who also reported improvement in appearance, flavor, tenderness, juiciness and overall acceptability of GE treated samples than control.

	Table 2: Sensory attrib	utes of spent thigh n	nuscle treated with various	levels of ginger extract	(Mean ± S.E)
--	-------------------------	-----------------------	-----------------------------	--------------------------	--------------

Sensory attri-	Raw Spent thigh				
butes	T ₁ (Naive control)	T ₂ (Positive con- trol)	T ₃ (2% GE)	T ₄ (4% GE)	T ₅ (6% GE)
Appearance	6.86±	5.80±	6.80±	6.85±	7.06±
	0.17	0.15	0.22	0.22	0.19
Colour	6.46±	6.20±	6.69±	6.76±	6.76±
Colour	0.13ª	0.36ª	0.19ª	0.15ª	0.19ª
77 1	5.73±	6.86±	6.20±	6.29±	7.33±
lenderness	0.21ª	0.27 ^b	0.14^{a}	0.14^{a}	0.1b ^b
		Cooked Spent	thigh		
	7.00±	6.86±	6.73±	6.93+	7.06±
Appearance	0.09ª	0.16 ^a	0.11ª	0.15ª	0.11ª
	6 73+	6 80+	6 60+	6 73+	7.00+
Flavour	0.22ª	0.14^{a}	0.15ª	0.28ª	0.19ª
Tenderness	5.53±	6.93±	6.06±	6.26±	7.06±
Tenderness	0.25ª	0.26 ^b	0.22ª	0.35ª	0.26 ^b
	5 80	6.00	6.06	6.26	6.02
Juiciness	0.20^{a}	$0.00\pm$	$0.00\pm$	$0.20\pm$	$0.95\pm$
	0.2)	0.2)	0.20	0.55	0.20
Overall accept-	5.93±	6.13±	6.13±	6.53±	7.00±
ability	0.27ª	0.24ª	0.21ª	0.35ª	0.13 ^b

Row-wise group means with different superscript differ significantly (P<0.05)

* 8-point descriptive scale (8 = extremely desirable, 1 = extremely undesirable)

**N = 21

CONCLUSIONS

The study revealed that the quality of spent hen meat changed desirably with an improvement in tenderness and sensory parameters. It was further observed that the best quality product was obtained when the sample was treated with 6% ginger rhizome extract. Therefore, a technology for utilization of easily and cheaply available ginger can be exploited at the industrial or household level for tenderization of less palatable spent hen meat from commercial layer stock and thus a protein rich meat can be made available to masses from otherwise layer industry waste.

ACKNOWLEDGEMENTS

The authors are thankful to the Dean, FVSc & AH, SKUAST-Kashmir for providing the necessary facilities for carrying out the research.

CONFLICT OF INTEREST

The authors have no conflict of interest associated with the material presented in this paper.

ETHICS STATEMENT

Not Applicable

References

- Abdeldaiem MH, Hoda GMA (2013) Tenderization of camel meat by using fresh ginger (*Zingiber officinale*) extract. Food Sci. Quality Management 21 : 12- 25
- AOAC (1995) Official method of analysis, 16th edn. Association of Official Analytical Chemists, Washington, D C
- Awosanya B, Faseyi OO (2001) The effect of cooking methods on yield and acceptability of battered spent fowls. Nigerian J Animal Prod 28(2) : 193-198
- Biswas, P, Biswas, AK, Mandal, AB (2020) Effect of *Kappaphycus Alvarezii* in development of functional based reformulated chicken sausages utilizing spent hen meat. J Meat Sci 15(1): 34-39
- Chen QH, He GQ, Jiao YC, Ni H (2006) Effects of elastase from a *Bacillus* strain on the tenderization of beef meat. Food Chem 98 : 624-629
- Ke S, Huang Y, Decker EA, Hultin HO (2009) Impact of citric acid on the tenderness, microstructure and oxidative stability of beef muscle. Meat Sci 82 : 113-118
- Kemp CM, Parr T (2012) Advances in apoptotic mediated proteolysis in meat tenderisation. Meat Sci 92 : 252-259
- Kian, M, Kapase, G, Kulkarni, S, Monojkumar, Vijayalakshmi (2020) The effect of post mortem ageing and muscle type on spent hen meat quality. J Meat Sci 15(1): 27-33
- Koolmees PA, Bijker PGH (1985) Histometric and chemical methods for determining collagen in meats. Veterinary Quarterly 7(2): 84-90
- Labell F (1987) Functional flavor systems improve quality of microwave meats. Poultry Food Processing-USA
- Lee HS, Shun CT, Chiou LL, Chen CH, Huang GT, Sheu JC (2005) Hydroxyproline content of needle biopsies as an objective measure of liver fibrosis: emphasis on sampling variability. Journal Gastroenterol Hepatol 20: 1109-1114
- Lee YB, Sehnert DJ, Ashmore CR (1986) Antioxidant property in ginger rhizome and its applications to meat products. J Food Sci 51: 20-23

- Naveena BM, Mendiratta SK, Anjaneyulu AS (2004) Tenderization of buffalo meat using plant proteases from *CucumistrigonusRoxb* (Kachri) and *Zingiberofficinale roscoe* (Ginger rhizome). Meat Sci 68 : 363-369
- Naveena BM, Mendiratta SK (2010) Tenderisation of spent hen meat using ginger extract. British Poultry Sci 42 (3): 344-349
- Roberts TPP, Kusuma, DL, Sucharitha, KV, Bharathi, R (2019) Development of Chicken Sausages: Value Addition to Spent Hen Meat. Int J Livestock Res 9(12) : 151-157
- Snedecor GW, Cochran WG (1994) Statistical methods, 1st edn. East West press, New Delhi
- Syed Ziauddin K, Rao DN Amla BL (1995) Effect of lactic acid, ginger extract and sodium chloride on electrophoretic pattern of buffalo muscle proteins. J Food Sci 32 : 224-226
- Thompson EH, Wolf ID, Allen CE (1973) Ginger rhizome: A new source of proteolytic enzyme. J Food Sci 38 : 652-655
- Trout ES, Hunt MC, Johnson DE, Claus JR, Kastner CL, Kropt DH (1992) Characteristics of low fat ground beef containing texture modifying ingredients. J Food Sci 57 : 19-24
- Tsai LL, Yen NJ, Chou RGR (2012) Changes in muscovy duck breast muscle marinated with ginger extract. Food Chem 130 : 316-320
- Wardlaw FB, Maccaskill LH, Acton JC (1973) Effect of postmortem muscle changes in poultry meat loaf properties. J Food Sci 38 : 421-424
- Wierbicki E (1985) Food Irradiation Processing. IAEA Publication, Vienna, Austria, 79
- Yusop SM, Sullivan MG, Kerry JF, Kerry JP (2010) Effect of marinating time and low pH on marinade performance and sensory acceptability of poultry meat. Meat Sci 85 : 657-663