## VOLUME- 3 | ISSUE- 9 SEPTEMBER 2020



# International Research Journal of Ayurveda & Yoga



An International Peer Reviewed Journal for Ayurveda & Yoga

SJIF Impact Factor : 5.69	ISRA Impact Factor : 1.318	ISSN:2581-785X	
Case study		Volume: 3	Issue: 9
A Single Case Study Of Ayurvedic Management Of <i>Vipadika Kushtha</i> Vis~À~Vis			

aimar Psoriasis

Vishal Aggarwal<sup>1</sup>, Tinkle Rani<sup>2</sup>, Arun Gupta<sup>3</sup>

- 1- PG Scholar, Panchakarma Department, CBPACS, Khera Dabar, New Delhi
- 2- PG Scholar, Panchakarma Department, CBPACS, Khera Dabar, New Delhi
- 3- Professor, HOD, Panchakarma Department, CBPACS, Khera Dabar, New Delhi

**ABSTRACT:** Palmar Psoriasis is a skin condition which disturbs the beauty of hands substantially affecting the physical as well as psychological life of the person hence affecting the quality of life. In Ayurveda, Palmer Psoriasis shares the similarity with *Vipadika Kushtha*. Present work is an endeavour to provide a treatment option.

Aim: To evaluate the role of Ayurvedic treatment approach in Vipadika Kushtha (Palmar Psoriasis).

**Materials and Methods**: A male patient aged 27 years presented with the signs and symptoms of *Vipadika Kushtha*, and was treated with both external and internal medications, which included Vaman Therapy (purificatory emesis) and *Shamana* (palliative treatment). *Shodhan* was given as *Samyak Snehan* (proper oleation) followed by *Vamana Karma* (therapeutic emesis) and *Shamana* was given by *Kaishor Guggulu, Brihat Manjishthadi Kwath, Panchanimba Churna* and *Jatyadi Taila*. Results: At the end of *Vamana, Pittantik Vamana* was achieved. Patient felt notable reduction in symptoms.

**Conclusion**: This case study showed satisfactory results with the improvement of 80%, could be implemented as a treatment option.

Keywords: Vipadika Kushtha, Kshudra Kushtha, Palmar Psoriasis, Vaman Karma.

Article received on-17 Sept Article send to reviewer on-19 Sept. Article send back to author on-27 Sept. Article again received after correction on -30 Sept.

**Corresponding Author** : **Tinkle Rani**, PG Scholar, Panchakarma Department, CBPACS, Khera Dabar, New Delhi , Email id-<u>tinklekhowal.tk@gmail.com</u>

How to Cite the Article : Vishal Aggarwal, Tinkle Rani, Arun Gupta, A Single Case Study Of Ayurvedic Management Of *Vipadika Kushtha* Vis~À~Vis Palmar Psoriasis,IRJAY, September: 2020 Vol- 3, Issue-9; 297-306 Doi: <u>https://doi.org/10.47223/IRJAY.2020.3912</u>

### **INTRODUCTION:**

"Hastama eva pradhana vantram". quoting this statement about Hasta; the Hand, Acharya Sushuruta mentioned the importance of hand<sup>1</sup>, as being the prime executor for performing any function whether it is routine household chore or some professional affaire. It is also said that one must being its day by firstly seeing both of her hands united, as it is a symbol of prosperity. There are certain conditions which hampers the beauty of hands both physically and functionally, one of them is Palmer Psoriasis. As per Ayurveda point of view Palmer Psoriasis bear a resemblance to Vipadika Kushtha, which comes under the wide umbrella of Kshudra Kushtha. It may also occur in feet also or alone, hence often referred as Palmoplantar Psoriasis. It involves vitiation of Vata and Kapha Dosha, predominantly. Symptoms being

Pani Pada Sphutana (cracking of skin of hands and feet), *Tivra Vedan*<sup>2</sup> (sharp pains) and *Lalima* (red patches). On the contrary, Palmoplantar Psoriasis seen as well-defined areas of raised, thickened skin, redness and scaling, an itching and burning sensation, pain, cracking and bleeding. Psoriasis accounts for having 2-5% of prevalence population, rate for general with palmoplantar further sharing its 3-4% and independently owns 0.44-  $2.88\%^3$ . It is indeed different from other diseases as it can be clearly seen by the other people thus creating even more trauma on both physical as well as psychic level. To combat the same modern approach comes with treatments like topical medications. systemic medication and light therapy along with moisturisers and cooling gels, but a definite approach is still in demand.

Since skin disorder is a chronic condition plus present case is the derangement of *Vata Kaphaja Dosha* thus creates a thinking of the treatment option which can entertain all these points hence solves to go for *Vaman Karma* (*Shodhan Karma* – biopurificatory method) followed by *Shaman Chikitsa* (palliative treatment).

#### **Case Report**

A 27 year old male patient, visited in OPD of Chaudhary Brahm Prakash Ayurved Charak Sansthan, Khera Dabar, New Delhi, with the following complaints- Scaly excoriating skin peeling from both the hands inside with pain and reddishness, since eight months. According to the patient he was apparently well eight months ago, he gradually started to observe dryness of both hands for which he used too much of cosmetic moisturiser still didn't get much relief and the condition goes on worsening day by day, with the occurrence of peeling of whitish skin and further more dryness with small fissures. Allopathic treatment also didn't provide satisfactory results. Clinical examination was performed as follows.

## *Rogi Preeksha* (examination of the patient)

# Ashtavidha Pariksha (Eight fold examination method)

- Pulse (Nadi) -74/min
- Stool (Mala)- Normal
- Urine (*Mutra*) -Normal
- Tongue (*Jihva*)- Mild Coated (*Ishat* Saam)
- Speech (*Shabda*)- Normal speech
- Skin (Sparsha) Rough (Khara)
- Eyes (Druka)- Normal
- Built (Akruti) -Medium (Madhyama)

#### **General Examination:**

Built:	normal
Cyanosis:	absent
Nutrition:	adequate
Lymphadenopathy:	absent
Pallor:	absent
Clubbing:	absent
Icterus:	absent
Oedema:	absent

#### Local examination: bilateral palms

<u>Inspection</u>: scattered patches of large sizes of whitish scales with reddish skin underneath, eroded skin with epidermal damage, more on right hand, border of the lesions well demarcated, increased

### VOLUME- 3 | ISSUE- 9 SEPTEMBER 2020

superficial vasculature, no odour or foul smell present

<u>Palpation</u>: Dry scales of skin with fragile reddish skin underneath, rough surface texture while running a finger over the lesions, bleeders present on intentional scraping of the scales, tender also, blanching was absent with light pressure, mild increased temperature locally possibly due to increased exposed vasculature. Mild oedema was also present.

Based on the clinical presentation it was considered as *Vipadika Kushta* (Palmar Psoriasis), thus treated on the line of treatment of *Kushta*. As the associated features indicating an aggravating state of *Vata* and *Kapha Dosha*, thus *Samshodhan* (*Vaman Karma*) followed by *Samshaman* was planned accordingly

#### PLAN OF TREATMENT

Shodhan Chikitsa (Vaman Karma) followed by Shaman Chikitsa.

1. SHODHAN CHIKITSA

#### **Purvakarma**

- 1. Examination and initial assessment of the patient
- 2. Explanation of do's and don'ts to the patient
- 3. Deepana Pachana

11/03/2020, 12/03/2020, 13/03/2020 - Chitrakadi Vati 2 tid and Shunthi Jala 20ml

Antah Snehan (internal oleation): Shodhanarth Snehapana with Mahatriphala Ghrita.

#### Table 1- Schedule of Antah Snehan (Shodhanarth Snehapana)

DAY	DATE	DOSE	TIME OF <i>GHRITA</i> ADMINISTRATION	KSHUDHA KAALA (HUNGER TIME)
1.	14/3/2020	30ml	6:25 AM	1:45 PM
2.	15/3/2020	50ml	6:28 AM	2:10 PM
3.	16/3/2020	80ml	6:35 AM	2:45 PM
4.	17/3/2020	100ml	6:45 AM	3:16 PM
5.	18/3/2020	120ml	6:30 AM	2:10 PM

4. Vishrama Kala: On 19/03/2020

Kaphotkleshaka Diet- Dahi, milk, sweet dish like Suji halwa.

5. Bahya Snehan (external oleation with Jatyadi Taila) and Swedan (with Dashmoola Vashpa Swedana): on 19/03/2020 and 20/03/2020.

Pradhanakarma: Vaman Karma on 20/03/2020

Vaman Yoga- Madanaphala Pippli Churna 5.5 gm + Saindhava 2gm + Madhu (quantity sufficient)

Vamanopaka Dravya: Yashtimadhu Phanta.

#### Table 2- Drug administered during Vaman Karma

S. No.	Drug	Quantity
1.	Milk	3000ml
2.	Vaman Yoga	7.5gms
3.	Yashtimadhu Phanta	2500ml
4.	Lavanodaka	1500ml

#### Table 3- Inferences after Vaman Karma:

Maniki (measurement) Input	7000ml
Maniki (measurement) output	7300ml
Antiki (procedural Inference)	Pittantik Vaman
Vegiki (number of emetics)	7+2
Laingiki (symptoms)	Samyak Shudhi Lakshanas present
Type of Shudhi	Pravara Shudhi

### Pashchatkarma

Hands and face washed with Luke warm water. *Dashmool Haridradi Dhoomapana* was given. Explanation of *Samsarjana Karma* was done. *Parihara Vishyas* to be followed was explained. Since the type of *Shuddhi* attained was *Madhyam*, hence *Samsarjana Karma (Peyadi Krama)* advised for next 7 days.

2. SHAMAN CHIKITSA for one complete month.

Table 4- Shaman C	<i>hikitsa</i>
-------------------	----------------

S. No.	DRUGS	DOSE	ROUTE OF
			ADMINISTRATION
1.	Kaishor Guggulu 125mg	2 tabs BD	Oral
2.	Panchanimba Churna	6gms BD	Oral
3.	Brihatmanjishthadi Kwath	40 ml BD	Oral
4.	Jatyadi Taila	TDS q.s.	Local Application

## RESULT

Treatment gave satisfactory results. Improvement was seen during the Snehapana Kala itself as the scaling was markedly reduced, possibly due to the Vata Shamak and Snighdha Gunn of Sneh. After Vaman Karma, there was significant decrease in other features also and growth of new skin started to appear. Patient came for follow up after 7 days (after completing Samsarjana Karma) and there were more

remarkable changes noticed in scaling, dryness and tenderness and prescribed for *Shaman Chikitsa*. Then after one month, he again came for follow up then the skin came almost near to normal condition. During 4 months course of the above treatment and four follow-ups the patient improved about 80% in all the symptoms. There was no evidence of recurrence till date September 2020.

Figure 1 (before treatment)

#### Figure 2 (during treatment)



Figure 3 (after treatment)



## DISCUSSION

Probable Mode of Action of *Vamana Karma* 

The present case was examined properly and found to be a case of *Vidapika Kushtha* (Palmar Psoriasis) and as per the clinical experience attained till now, we planned to give *Shaman Chikitsa* only after *Samshodhan* so that there will be better absorption of the *Shaman* medication as the bodily channels (*Strotas*) are much more absorptive for drugs, and being a

derangement of Vata Kapha Dosha Vaman Karma wins as a treatment choice. In Vaman Karma, aggravated and vitiated Doshas are expelled out through the upward opening; the Mouth, and to make that possible, the Shithil (embedded or stubborn) Doshas detached from the Leenastha (deep seated) Dhatus, Ama (bio toxin, whose presence is considered as the prime cause for all disorders) has to be removed thus Deepana Pachan was performed with Chitrakadi vati4 and Shunthi<sup>5</sup> Jala as a Anupana, as it is a potent drug to digest the Ama and kindle the digestive fire, containing *Tikshna* (sharp in action) Dravyas like Chitrak, Shunthi, etc; which makes the Dosha Nirama and increases the Agni. Abhyantara Snehana done with *Mahatriphala Ghrita*<sup>6</sup>, being a lipid based formulation helps to lubricate the Strotas for the streamline flow movement of the aggravated morbid Doshas and dissolve the Dosha to increases the volume for proper flow of the Vegas and makes the *Dosha* free from their binding sites, to aid in the above properties, Triphala base was taken since it cures the condition of Mandagni and serves great for Vata and Kaphaj disorders. Bahya Snehan done with Jatyadi Taila as it is having wound healing and coolant drugs like

Haridra, Jati. Nimba. Patola, Manjishtha, etc; Swedan with Dashmoola Kwath (pacifies Vata and Kapha Dosha predominantly and is anti-inflammatory in action) was done. Abhyanga and Swedana, unitedly helps the Dosha to liquefy and disintegrate. All these preparatory measures helps to mobilize the *Dosha* from Shakha to Koshta. Deepan Pachana was done for 3 days and 4th day onwards Snehapana was started with and Samyak *Snigdhata* (proper oleation) was observed on the 5th day of Snehpana. On 6th day, Visrama Kala, Kapha Utkleshaka Ahara was given and and On 7th day, after performing the Bahya Snehan and Swedan, Vaman Karma performed early morning, specifically in Kaphaj Kala, using Madanaphala, Saindhava and Madhu. Madanphala being Anapaayitwat (not causing any complication), *Tikta* and Madhur in Rasa, is Laghu, Ruksha and Ushna, acts as a better emetic agent in *Kapha* aggravated conditions such as Kushtha, Anaha, Shoth, Pratishyaya, etc. Madhu with Saindhav Lavan does the action of Kapha Chedana and Vilavana. To further accelerate and for the continual of emetic action Madanphala, Vamanopaga Yashtimadhu Phanta was used, as it is Vata-Pitta pacifying, aids in

the proper and painless expulsion of Apakwa Pitta Dosha, also, its Madhur Rasa helps in soothing the buccal cavity irritated due to the wear and tear of the buccal mucosa due to upcoming Vegas and Katu Pitta. As long as the Pitta is coming out in the vomitus one must continue administer the Vamanopaga followed by Lavanodaka for final Gastric wash. By Vamana Dushita Kapha along with Apakwa Pitta was removed thus breaking the pathogenesis causing Kushtha Roga. After achieving Pravara Shuddhi, Samsarjan Krama was adviced for 7 days of *Peyadi Karma*, to replenish the gut mucosa which is severely affected during the tedious process of Shodhan Karma.

## Probable mode of action of *Shaman* Medications

Kaishore Guggulu is anti-allergic, antibacterial and blood purifying in nature<sup>7</sup>. It is known to have analgesic and antiinflammatory activity also, hence provides its necessity to be as one of the medicament here.Brihat Manjishthadi Kwath having abundance of *Tikta Dravyas* performing the action of Kapha Pittaghna, Rakta Prasadana, Vishaghna, Kushthaghna, Kandughna and Daha Prahamana, which are the desired properties for the present

case, indicated in Kushtha, Jwara and Vatarakta which has dominancy of Pitta Dosha and Rakta as Dushya<sup>8</sup>. Pancha Nimba Churna is a single drug medicine made with different parts of the plant, belongs to the medicinal group described in *Kushthadhikara*, is *Tikta* in nature which is one of the key role factor to treat skin disorder, indication being all types of Kushtha, Visarp, Nadi Vrana, Dushta Vrana, Kamala, diseases occurring due to vitiation of *Kapha*, *Rakta* and *Pitta<sup>9</sup>*. Jatyadi Taila used as a topical application as it keeps the local temperature on a cooler side due to its cooing effect (Sheeta Viryatva), being a lipid based compound keep moistened the skin hence reduces further scaling of the lesions and serves as a healer for fissures on palms. Main indications are Kushtha, Vrana, Pama, Vicharchika, Visphota<sup>10</sup>, etc.

#### CONCLUSION

It has been concluded that *Shaman Chikitsa* after performing *Shodhan Chikitsa* gives satisfactory results in performing the *Samprapti Vighatan* for treating *Vipadika Kushtha* vis~a~vis Palmar Psoriasis.

Acknowledgement:- Nil Financial Assistant:- Nil Conflict of interest :- Nil

## REFERENCES

- 1. shastri ambika dutta, editor. sushuruta samhita, ayurveda tatva sandipika, first. Vol., first edition, varanasi: chaukhamba sanskrit sansthan, 2010, page no. 32.
- 2. Shastri K. Bhaishajya Ratnavali, 19th edition, Choukhamba prakashan, 2008, Chapter. 54, 905p.
- 3. Jakhotiya Y. Kuchewar V. Ayurvedic management of Palmoplanter Psoriasis: A Case Study, J of Ayurveda and Hol Med (JAHM).2017; 5(2):59-64p.
- 4. Agnivesha, Charaka Samhita, Chakrapanidatta Ayuryeda dipikavyakhya, 2008, Chaukhamba Surabharti Prakashana, Varanasi, Chikitsa Sthana, 15/97.
- 5. Sharma, R.K. Charak Samhita. (1st ed.). Varanasi, India: Chaukhambha Sanskrit Series; 1999.
- 6. Das, G. Netrarogadhikar. In: Kaushik, G.P.S (ed.) Bhaishajyaratnavali. Lucknow: Tejkumar press; 1957. p. 783.
- 7. Srikantha murthy, K.R. Sharangadhara Samhita. (Reprint 2012 ed.). Varanasi, India: Chaukhambha Orientalia; 2012.
- 8. Srikantha murthy, K.R. Sharangadhara Samhita. (Reprint 2012 (ed.). Varanasi, India: Chaukhambha Orientalia; 2012.
- 9. Shashtri, A.D. Kushtharogchikitsa prakran. In: Shashtri, R.J (ed.) Bhaishajyaratnavali. Varanasi, India: Chaukhambha prakashan; reprinted 2018. p. 892.
- 10. Shashtri, A.D. Kushtha rog chikitsa prakran. In: Shashtri, R.J (ed.) Bhaishajyaratnavali. Varanasi, India: Chaukhambha prakashan; reprinted 2018. p. 910.